



GLORYSTAR

5.5" Mobile Computer



WiFi & Bluetooth Enabled



Android



Battery Operated

Overview

The Glory Star Handheld Mobile Computers is a powerful Android device designed to enhance operational efficiency by putting essential tools right in the hands of your workforce. With a vibrant HD touchscreen, integrated 2D barcode scanner, and rugged design, Glory Star empowers users across various industries to seamlessly manage tasks and improve productivity.

Specification

	Model	R366S PDA
Screen Size	Size	5.5"
Display screen	Resolution	720 x 1440
Touching screen	Touch Tech	Multi-touch, Capacitive touch screen
Hardware & OS	CPU	Qualcomm 8-cores 2.4GHz
	RAM	4GB
	ROM	64GB
	Extra memory	Expansibile through TF, support 128GB
	OS	Android 13
General	Color	Black
	Interface	USB3.0 Type-C, support OTG
	Expansion slot	Nano-SIM card*2, TF card*1
	Battery capacity	3.8V , 4600mAh(detachable)
	Camera	Rear 16 MP, autofocus camera with flash Front 8 MP(optional)
	Notify	Tricolor notify light , Buzzer
Communication	WIFI	2.4G/5G, 802.11 a/b/g/n/ac/ax ready
	Bluetooth	5.1
	GNSS	GPS/Beidou/Glonass/Galileo
	2G/3G/4G	SLM927-EAU (Europe/Middle East/Africa/Korea/Thailand/Australia) GSM: GSM850/EGSM900/PCS1900/DCS1800 WCDMA: B1/B2/B5/B8 FDD-LTE: B1/B3/B5/B7/B8/B20/B28 TDD-LTE: B38/B40/B41(2496-2690MHz)
		SLM927-CN (China/India) GSM: GSM/GPRS/EDGE EGSM900/DCS1800 WCDMA: B1/B8 FDD-LTE: B1/B3/B5/B8 TDD-LTE: B34/B38/B39/B40/B41(2535-2655MHz)
	SLM927-A (North America) WCDMA: B2/4/5 FDD-LTE: B2/B4/B5/B7/B12/B13/B14/B17/ B25/B26/B66/B71 TDD-LTE: B41(2496-2690MHz)	
Optional function	Scanner	M2/HS7
	LF RFID	Frequency: 125K / 134.2K Reading distance: 1-3cm
	HF RFID	Frequency: 13.56MHz Protocol standard: ISO14443A/B,ISO15693, NFC Label standard: M1(S50, S70)、CPU、NFCTags Reading distance: 2-3cm
	PSAM	Protocol: ISO/IEC 7816-1/2/3/4 Channels: PSAM slot *2
Environment	Dropping height	120cm
	Operating temperature	-10°C-50°C
	Storage temperature	-40°C-70°C
	Environment humidity	5%RH-95%RH(No condensation)
Dimensions	Dimensions	170mm * 79mm * 17.6mm
	Weight	about 300g

CONTACT US

United States

101 Hudson St, 21st Floor
Jersey city, NJ USA 07302
626 228 5927

Hong Kong

Flat D, 5/F, Excelsior Building,
364 Nathan Road,
Kowloon, Hong Kong
852 23762803

ShenZhen

Bldg. 9, 4/F Zhong Yuntai Technology Industrial Park,
Tangtou No.1 Road, Shiyan Street, Baoan,
ShenZhen, PRC
86 755 2600 1808

To find out more about our extensive range of Glor Star solutions, go to www.glorystargroup.com, or call the office nearest you. For more information, please contact us at sales@glorystargroup.com. Glory Star reserves the right to change or update, without notice, any information contained herein; to change, without notice, the design, construction, materials, processing or specifications of any products; and to discontinue or limit production or distribution of any products. Glory Star, the Glory Star logo, STAR CONTROL and STAROS are either trademarks or registered trademarks of Glory StarGroup Limited. All other trademarks are the property of their respective owners.