

## Technical document GAD101

Identification data (general description of the model): GAD101

Trademark and model identifier: GLORYSTAR

Suppliers Name and address :

GLORY STAR GROUP LIMITED

FLAT D, 5/F., EXCELSIORT BLDG.,

364 NATHAN ROAD, KOWLOON

### Product information sheet

	Information	Value and precision	Unit
1.	Supplier's name or trade mark	Glory Star Group Limited	
2.	Supplier's model identifier	GAD101	
3.	Energy efficiency class for standard Dynamic Range (SDR)	E	
4.	On mode power demand for Standard Dynamic Range (SDR)	6.0	W
5.	Energy efficiency class (HDR)	E	
6.	On mode power demand in High Dynamic Range (HDR) mode	N.A	W
7.	Off mode, power demand	0	W

#### Headquarter

Flat D, 5/F, Excelsior Building,  
 364 Nathan Rd., Kowloon, H.K  
 TEL: (852) 2376 2803  
 FAX: (852) 2376 2292

#### Factory

Bldg 9, 4/F Zhong Yuntai Technology Industrial Park,  
 Tangtou No.1 Road, Shiyan Street, Baoan, ShenZhen,  
 PRC TEL: (86) 755 2600 1808  
 FAX: (86) 755 2600 2933

8.	Standby mode power demand	0			W
9.	Networked standby mode power demand	N.A			W
10.	Electronic display category	Signage			
11.	Size ratio	16	:	10	integer
12.	Screen resolution (pixels)	1280	x	800	pixels
13.	Screen diagonal	2,17			m
14.	Screen diagonal	10.1			inches
15.	Visible screen area	293			cm <sup>2</sup>
16.	Panel technology used	TFT			
17.	Automatic Brightness Control (ABC) available	N.A			
18.	Voice recognition sensor available	N.A			
19.	Room presence sensor available	N.A			

#### Headquarter

Flat D, 5/F, Excelsior Building,  
 364 Nathan Rd., Kowloon, H.K  
 TEL: (852) 2376 2803  
 FAX: (852) 2376 2292

#### Factory

Bldg 9, 4/F Zhong Yuntai Technology Industrial Park,  
 Tangtou No.1 Road, Shiyan Street, Baoan, ShenZhen,  
 PRC TEL: (86) 755 2600 1808  
 FAX: (86) 755 2600 2933


2 0.	Image refresh frequency rate		60	Hz
2 1.	Minimum guaranteed availability of software and firmware updates (until):		01.01.2032	date
2 2.	Minimum guaranteed availability of spare parts (until):		01.01.2032	date
2 3.	Minimum guaranteed product support (until):		01.01.2025	date
2 4.	Power supply type:		External	
<i>i</i>	External standardised power supply (included in the product box)	Standard name	SHENZHEN FUJIA APPLIANCE CO., LTD.	
		Input voltage	240	V
		Output voltage	12	V

**Headquarter**

Flat D, 5/F, Excelsior Building,  
 364 Nathan Rd., Kowloon, H.K  
 TEL: (852) 2376 2803  
 FAX: (852) 2376 2292

**Factory**

Bldg 9, 4/F Zhong Yuntai Technology Industrial Park,  
 Tangtou No.1 Road, Shiyan Street, Baoan, ShenZhen,  
 PRC TEL: (86) 755 2600 1808  
 FAX: (86) 755 2600 2933



For and on behalf of  
GLORY STAR GROUP LIMITED



**Headquarter**

Flat D, 5/F, Excelsior Building,  
364 Nathan Rd., Kowloon, H.K  
TEL: (852) 2376 2803  
FAX: (852) 2376 2292

**Factory**

Bldg 9, 4/F Zhong Yuntai Technology Industrial Park,  
Tangtou No.1 Road, Shiyao Street, Baoan, ShenZhen,  
PRC TEL: (86) 755 2600 1808  
FAX: (86) 755 2600 2933